




# HP Everyday Adhesive Gloss Polypropylene, 2 Pack



## The HP Designjet printing system—the complete solution

HP Designjet printers, Original HP inks and printheads, and Original HP printing materials are designed to work together as a system to provide reliable, consistent results with every print.



- 1 HP Everyday Adhesive Gloss Polypropylene can be easily removed. Residual adhesive can be easily wiped clean. Some warranty limitations apply, see the Limited Warranty statement at [hp.com/go/HPMediaWarranties](http://hp.com/go/HPMediaWarranties).
- 2 With Original HP 771 Vivid Photo Inks, Original HP 91 Photo Inks, or Original HP 70 Photo Inks on the HP Designjet Z3200 Photo Printer series. Display permanence rating for interior displays/away from direct sunlight, under glass by HP Image Permanence Lab and/or by Wilhelm Imaging Research, Inc. on a range of HP media. For more information, see [hp.com/go/supplies/printpermanence](http://hp.com/go/supplies/printpermanence).

## Get brilliant results with an easy-to-handle film

### Achieve accurate photo reproduction, crisp detail

Produce POP, retail, and event displays full of vibrant color and brilliant, photo-realistic images. Together with Original HP inks, this material gives you a wide color gamut and excellent gloss uniformity for smooth transitions and crisp detail.

### Gain efficiency

Help keep your production process moving smoothly. Instant-dry, smudge-resistant prints are easy-to-handle and feature a permanent self adhesive for secure, reliable mounting, yet prints can be easily removed.<sup>1</sup>

### Offer a range of indoor and outdoor displays

Take advantage of this versatile material, compatible with both HP dye- and pigment-based inks. ICC profiles help you get the right color, right away. Indoor prints provide over 35 years unlaminated display permanence.<sup>2</sup>

Target customers	Applications	Benefits
Commercial print service providers	POP and retail displays	Vibrant color, excellent gloss uniformity
Quick printers	Trade show and event displays	Brilliant, photo-realistic images enabled by excellent bleed control
Copy shops	Temporary exhibitions	A permanent self adhesive for secure, reliable mounting
Architects	Architecture competitions	Easy-to-handle, instant-dry, smudge-resistant prints
		35+ years unlaminated indoor display permanence on HP Designjet Z-series printers <sup>2</sup>
		Compatible with both HP dye- and pigment-based inks
		Indoor and outdoor application versatility
		Easy to remove, with a limited HP warranty <sup>1</sup>

## Technical specifications



### HP Everyday Adhesive Gloss Polypropylene, 2 Pack

For the latest ICC/media profiles and a variety of resources to help you get the most out of your printer and HP large format printing materials, please visit [hp.com/go/LFPrintingMaterials](http://hp.com/go/LFPrintingMaterials).

<b>Weight (without liner)</b>	120 g/m <sup>2</sup> per ISO 536 Test Method				
<b>Weight (with liner)</b>	168 g/m <sup>2</sup> per ISO 536 Test Method				
<b>Thickness (without liner)</b>	180 microns/7.1 mil per ISO 534 Test Method				
<b>Thickness (with liner)</b>	215 microns/8.5 mil per ISO 534 Test Method				
<b>Opacity (with liner)</b>	Greater than 95% per TAPPI T-425 Test Method, greater than 96% per ISO 2471 Test Method				
<b>Brightness (with liner)</b>	87.5% per TAPPI T-452 Test Method, 90% per ISO 2470 Test Method				
<b>Whiteness (with liner)</b>	99 per ISO 11476 and ISO 11475 Test Methods				
<b>Finish</b>	Gloss				
<b>Operating temperature</b>	15 to 35° C / 59 to 95° F				
<b>Operating humidity</b>	20 to 80% RH				
<b>Display permanence (Indoor home or office)</b>	75+ years, unlaminated with Original HP 771 Vivid Photo Inks, Original HP 91 Photo Inks, or Original HP 70 Photo Inks on the HP Designjet Z3200 Photo Printer series <sup>3</sup>				
<b>Water resistance</b>	Moderately water resistant with Original HP 771 Vivid Photo Inks, Original HP 91 Photo Inks, or Original HP 70 Photo Inks on the HP Designjet Z3200 Photo Printer series, <sup>4</sup> lamination recommended with Original HP dye inks				
<b>Dry time</b>	1 minute (at 23° C, 50% RH)				
<b>Lamination</b>	Yes				
<b>Shelf life</b>	2 years, unopened in original packaging				
<b>Storage temperature</b>	15 to 35° C / 59 to 95° F				
<b>Storage humidity</b>	15 to 30% RH				
<b>Country of origin</b>	Product of China				
<b>Ordering information</b>	<b>Product numbers</b>	<b>Quantity</b>	<b>Roll sizes</b>	<b>UPC codes</b>	<b>Region</b>
	COF28A	2 Pack	914 mm x 22,9 m (36 in x 75 ft)	887111206046	Worldwide
	COF29A	2 Pack	1067 mm x 22,9 m (42 in x 75 ft)	887111206053	Worldwide
<b>Warranty</b>	HP offers a range of self-adhesive materials with warranties that guarantee these products to be free of material or coating flaws and defects that affect the final use of the print and meet HP published specifications. For warranty statement please see <a href="http://hp.com/go/HPMediaWarranties">hp.com/go/HPMediaWarranties</a> . To obtain warranty service, please contact HP customer support.				

<sup>3</sup> Display permanence rating for interior displays/away from direct sunlight, under glass by HP Image Permanence Lab and/or by Wilhelm Imaging Research, Inc. on a range of HP media. For more information, see [hp.com/go/supplies/printpermanence](http://hp.com/go/supplies/printpermanence).

<sup>4</sup> Water resistance testing by HP Image Permanence Lab on a range of HP media and follows ISO 18935 method. For more information, see [hp.com/go/supplies/printpermanence](http://hp.com/go/supplies/printpermanence).

**For detailed information on the HP large format printing materials portfolio and to order, see [hp.com/go/LFPrintingMaterials](http://hp.com/go/LFPrintingMaterials)**

© 2013 Hewlett-Packard Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

