



HP Professional Instant-dry Satin Photo Paper

Produce exhibition-ready photographs full of vivid color, sharp detail, and striking contrast. Instant-dry prints on this professional-grade weight paper are easy to handle and provide long-lasting durability.



Produce exhibition-ready photographs

See vivid color, sharp detail, and striking contrast. It's easy to handle large-size exhibition prints on this durable, professional-grade weight paper that offers the look and feel of a professional photo paper.

Provide long-lasting results

Deliver your photographs with reassurance. Designed together with HP pigment inks, prints produced on HP Professional Instant-dry Satin Photo Paper resist fading indoors, away from direct sun for over 200 years⁽¹⁾.

See reliable results, consistent performance

Experience the reliable performance of the HP large format printing system. HP Professional Instant-dry Satin Photo Paper is engineered with Original HP inks and the printer to deliver consistent image quality and excellent handling.

Target customers


- Professional photographers
- Fine artists
- Graphics-oriented print service providers

Applications

- Photo enlargements
- Art reproductions

The HP Designjet printing system—the complete solution

HP Designjet printers, Original HP inks and printheads, and Original HP printing materials are designed to work together as a system to provide reliable, consistent results with every print.



Benefits

- Professional, satin surface for impressive image depth and clarity at any angle
- Heavy weight makes large-size, exhibition prints easy to handle
- Consistent gloss uniformity
- Over 200 years display permanence with Original HP pigment inks⁽¹⁾
- Water resistant prints⁽²⁾
- Handle instant-dry prints right off the printer

HP Professional Instant-dry Satin Photo Paper

For the latest ICC profiles/paper presets and a variety of resources to help you get the most out of your printer and HP large format printing materials, please visit hp.com/go/LFPrintingMaterials

Technical specifications

Weight	300 g/m ² per ISO 536 Test Method			
Thickness	287 microns/11.3 mil per ISO 534 Test Method			
Opacity	Greater than 97% per TAPPI T-425 Test Method, greater than 95% per ISO 2471 Test Method			
Brightness	Greater than 91% per TAPPI T-452 and ISO 2470 Test Methods			
Whiteness	Greater than 115 per CIE Ganz 82 Test Method			
Finish	Satin			
Operating temperature	15 to 35° C / 59 to 95° F			
Operating humidity	30 to 80% RH			
Display permanence (Indoor home or office)	200+ years with Original HP 70 or 91 Photo Inks ⁽¹⁾			
Water resistance	Water resistant with Original HP 70 or 91 Photo Inks ⁽²⁾			
Dry time	Quick dry (at 23° C, 50% RH)			
Lamination	Yes, hot or cold with commercially available pressure-sensitive and thermal laminate films			
Shelf life	Greater than 1 year, unopened in original package			
Storage temperature	0 to 40° C / 32 to 104° F			
Storage humidity	25 to 80% RH			
Country of origin	Product of Germany			
Ordering information	Product numbers	Roll sizes	UPC codes	Region
	Q8759A	610 mm x 15,2 m (24 in x 50 ft)	882780703841	Worldwide
	Q8840A	1118 mm x 15,2 m (44 in x 50 ft)	808736889667	North America, Europe, Asia ⁽³⁾
Warranty	HP large format printing materials are free from defects in materials and workmanship. For warranty statement, please see hp.com/go/HPMediaWarranties . To obtain warranty service, please contact HP customer support.			

(1) With Original HP 70 or 91 Photo Inks. Display permanence rating for interior displays/away from direct sunlight, under glass by HP Image Permanence Lab and/or by Wilhelm Imaging Research, Inc. on a range of HP media. For more information, see hp.com/go/supplies/printpermanence.

(2) With Original HP 70 or 91 Photo Inks. Water resistance testing by HP Image Permanence Lab on a range of HP media and follows ISO 18935 method. For more information, see hp.com/go/supplies/printpermanence.

(3) Not available in Japan.

For detailed information on the HP large format printing materials portfolio and to order, see hp.com/go/LFPrintingMaterials

© 2013 Hewlett-Packard Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

4AA4-0211EEW, February 2013

